

## From oils to greases to dry lubricants... We have all the answers to your lubrication problems.



### **PASTES (Anti-Seizure Agents)**

Paste formulated with base oil and a high concentration of a solid lubricant such as MoS<sub>2</sub> or fine metallic particle.

By thinly coating the paste on friction surfaces of pins, screws, bolts and nuts, the teeth of gears, bearings, rotational or sliding parts of other equipment, it prevents seizure and scuffing during the engagement or the pressure fit of parts.







## **GREASES**

Sumico Lubricant's grease products encompass a wide variety of products from grease used for general bearing and sliding part, to high performance products such as grease for heavy load machine use, and the grease for high temperatures used in ironworks. The range includes products formulated specifically for special uses such as precision instruments and food processing equipment.







#### OILS

Sumico Lubricant's lubricating oil caters for lubrication under heavy conditions unable to be tackled by ordinary lubricants, by employing an additive formulated with a high concentration of MoS2. Mainly for heavy load gear, and chains subject to high temperatures.







## **Maintenance For Molding Machines**

In addition to release agents for plastic or rubber molding, and anti-rust agents and cleaning agents for molding dies, Sumico offers lubricants for ejector pins and greases for automatic lubrication of molding machines.







 $\mathsf{TEL} + 66 \ (0) \ 2 - 4357245 \quad \mathsf{FAX} + 66 \ (0) \ 2 - 4357248$ 

Sathit K.: sathitk@uniglobal.co.thMobile: 081–9249078Khataroek A.: khataroeka@uniglobal.co.thMobile: 081–9045647Pornpat V: pornpatv@uniglobal.co.thMobile: 081–8023517



SUMICO LUBRICANT CO., LTD.

Shinjuku Nomura Bldg., 1-26-2, Nishishinjuku, Shinjuku-ku, Tokyo 163-0575, JAPAN TEL (81) 3-3344-6830 FAX (81) 3-3344-6839

http://www.sumico.co.jp/





Oils / Greases / Lubrication Sprays

# Food Machinery Lubricants





















For locations associated with a risk of food, etc. being contaminated with a lubricant.



## U-SAFE CLEAN



## Using plant-based materials as palm, corn, soybean, safflower, sugar cane, apple, others.



\* Label of export is not same as in Japan

#### characteristics

1. Possible eradication of typical food poisoning bacteria

(X Escherichia coli, Salmonella)





Detergent performance will be keeping by oil separation with a good oil-water separability of U-SAFE CELAN.



- (1) improve economy
- (2) Activate microorganisms in oil-water separation facilities (water quality improvement)



E-CLEAN



emulsion



## Results of biodegradability test:98.5%



level	dilution	Washing machine			
		heated / pressurize	heated / ultrasonic	heated / shower	higher temp.(*1)
light ~ medium	0.1%~20%	1%	1~5%	negotiable	
stubborn	50 <b>%∼</b> pure	5%	negotiable	negotiable	

#### **UNIGLOBAL COMPANY LIMITED**

32 Soi Charansanitwong 51 Bangbumru Bangplad

**Bangkok 10700 Thailand** 

TEL: 0-2435245 FAX: 0 2435-7248

·For details please visit our website. http://www. uniglobal.co.th



TEL +66 (0) 2-4357245 FAX +66 (0) 2-4357248

Sathit K.: sathitk@uniglobal.co.thMobile: 081-9249078Khataroek A.: khataroeka@uniglobal.co.thMobile: 081-9045647Pornpat V: pornpatv@uniglobal.co.thMobile: 081-8023517