



VPC 250 DOY

Making the difference



VPC 250 DOY

Vertical high-performance machines with a unique cost-benefit ratio for small and medium sized bags. Customized function, Extremely efficient form, fill and seal process, gentle product handling.



Cost effectiveness and functional efficiency, gentle product handling

Servo driven moving and conveying functions. Accuracy and reliability, from the wrapping material infeed to bag shaping and seam sealing up to the filling. With integrated Multiheadweigher and Metal detector, the EPS shapes up to one single packaging solution.

- Continuous mode
- Nearly wear- and maintenance-free operation
- Quick and easy size change
- Compact, operator-friendly design
- Programmable control
- Colour touch screen
- Electronic control for bag length
- Photoeye control for accurate eyemark reading of printed films
- Servo driven cross sealing station
- Servo driven film draw-down belts
- Adjustable sealing time
- Adjustable stroke of cross sealing jaws (depending on bag size)
- Longitudinal jaws mechanically driven
- Film width up to 520 mm for pneumatical film tensioning shaft
- Operator-friendly safety doors with locking magnets

Leader in technology. With the experience of more than 3000 applications worldwide.

Highest efficiency for the Snack Food Industry!

Safe operation, efficient resetting

The hardware and the software of the EPS are all over user-friendly. Up to 100 production programmes can be stored in the memory for the programmable control. All needed production parameters can be set via a colour touch screen. The logic control prevents out of range entries. All adjustments and settings can be made quickly and comfortably at the front side of the machine .

Future-compliant conception with long life expectancy


Wolf form, fill and seal packaging machines offer a high investment security, based on clear principles:

- Observance of strict quality standards for material and processing
- Minimization of the number of technical components due to a modular machine structure
- Innovative design and up-to-date technology, which enables easy retrofitting
- Qualified maintenance, fast service

The result: more efficiency on a narrow space and higher availability for a long life cycle.


The flexible solution

Combinable with any Multiheadweigher and any metal detector, the EPS is probably the most flexible packaging solution for the Snack Food Industry.



VPC 250 DOY

Technical Data Overview



Machine height	1816 mm
Machine width	1367 mm
Machine depth	1963 mm
Bag width	50 – 300 mm
Bag length	80 – 450 mm
Filling volume	6000 cm ³
Film reel diameter	400 mm
Performance*	up to 170 bags / min
Air requirements **	60 l / min at 6 bar
Energy requirement	4.5 kW
Mains connection	380 V, 3 Ph., N, 50/60 Hz
Type of protection	IP 54
Weight	720 kg

* depending on product and wrapping material

** depending on performance

Subject to technical modifications

From engineering to operation, from the silo to the palletizer – we offer intelligent and complete solutions for efficient packaging lines from one source.

Wolf Verpackungsmaschinen GmbH

Bettenhäuser Str. 3 D-35423
 Lich-Birklar Germany
 Phone: +49 6404 9182-0
 www.wolf-pack.de

Fax: +49 6404 9182-83
 contact@wolf-pack.de

Wolf (Hangzhou) Packaging Machining Co., Ltd.

1001, 1st floor of Building 1, No.1672 Nanhuan Road,
 Binjiang District, Hangzhou City, Zhejiang Province, China.
 Tel.: + 86 571 81380020 info@wolf-pack.asia
 Fax.: + 86 571 81380090 www.wolf-pack.asia